

Index

Volume 18, numéro 3, fall 1982

URI : https://id.erudit.org/iderudit/ageo18_3ind01

[Aller au sommaire du numéro](#)

Éditeur(s)

Maritime Sediments Editorial Board

ISSN

0843-5561 (imprimé)

1718-7885 (numérique)

[Découvrir la revue](#)

Citer ce document

(1982). Index. *Atlantic Geology*, 18(3), 140–145.

Index

Citation refers to Issue Number and Page
; (A) - Abstract

- AMOS, C.F., see LEWIS, C.F.M.
- Aspy Bay, Cape Breton Island, barrier
overwash, washover sedimentation; (A):
FORBES 1, 43
- Atlantic Geoscience Center, research
at; (A): KEEN 1, 47
- Avalon Peninsula, Newfoundland.
Holyrood Pluton, geophysical con-
straints on thickness: MILLER 2, 75
Paleomagnetism, mafic dikes: SEGUIN
2, 59
- AVERY, M.P., see HACQUEBARD, P.A.
- BARR, S.M., The Cape Breton Granitoid
Pluton Project: a progress report;
(A) 1, 57
- BARR, S.M., see CALDER, L.M.
- BARRIE, J.V., see LEWIS, C.F.M.
- Basalts, Early Cretaceous, Scotian
Shelf; (A): PE-PIPER 1, 53
- Bell Island, Newfoundland, trace fos-
sils; (A): FILLION 1, 43
- CALDER, L.M., and BARR, S.M., Petrology
of the Mavillette Intrusion, Digby
County, Nova Scotia; 1, 29
- Carboniferous Basin, Regional gravity
studies, tectonic implications, New
Brunswick; (A): CHANDRA, J., 1, 42
- Carmanville, Newfoundland, chaotic
rocks; (A): WALDRON 1, 46
- CHANDRA, J., WALLACE, J., and CHANDRA,
S., Tectonic implications of regional
gravity studies in the Central Car-
boniferous Basin, New Brunswick; (A):
1, 42
- CHANDRA, S., see CHANDRA, J.
- Chaotic rocks, Carmanville, Newfound-
land, terminology, interpretation;
(A): WALDRON 1, 46
- Coal, geological and geothermal effects
on rank, Pennsylvanian, New Brunswick;
(A): HACQUEBARD 1, 56
- Continental slope, Nova Scotia, mor-
phology and process; (A): HILL 1, 50
- CURRIE, K.L., Paleozoic supracrustal
rocks near Cheticamp, Nova Scotia;
3, 94
- Demethanation wells, production poten-
tials; (A): McMAHON 1, 50
- Diagenesis, physical, in reconstruction
of ancient sedimentary environments;
(A): POLL 1, 51
- DOUMA, M., Wellsys: a well information
database; (A) 1, 42
- Drumlin coast, dynamic geomorphology,
Cape Breton; WANG, Y., 1, 1
- DUFF, P. McL.D., FORGERON, S., and POLL,
van de, H.W., Upper Pennsylvanian
sediment dispersal and paleochannel
orientation in the western part of
the Sydney Coalfield, Cape Breton,
Nova Scotia; 2, 83
- Dunnage Zone, allochthonous; (A):
KARLSTROM 1, 45
- FADER, G.B., see LEWIS, C.F.M.
- FILLION, D. and PICKERILL, R.K., Cambro-
Ordovician trace fossils from Bell
Island, eastern Newfoundland; (A) 1,
43
- FORBES, D.L., TAYLOR, R.B. and FROBEL,
D., Barrier overwash and washover
sedimentation, Aspy Bay, Cape Breton
Island; (A) 1, 43
- FORGERON, S., see DUFF, P. McL.D.
- FROBEL, D., see FORBES, D.L.
- GAHE, E., see SEGUIN, M.K.
- GALLAIS Le, C.J., Stratigraphy, sedi-
mentation and basin evolution of the
Pictou Group (Pennsylvanian),
Fredericton Sub-Basin, New Brunswick,
Canada; (A) 1, 48
- GASTALDO, R.A., see ZODROW, E.L.

- Geomorphology, dynamic, drumlin coast, Cape Breton: WANG, Y., 1, 1
- Geophysical constraints, thickness of Holyrood Pluton, Newfoundland: MILLER 2, 75
- Geoscan, national database, geological information, Canada; (A): LYTTLE 1, 49
- Graded beds, implication for ancient rocks, Scotian Shelf; (A): PIPER 1, 53
- Granite, Cape Breton, progress report; (A): BARR 1, 57
- GRAVES, M.C., Lithologies at the Pennsylvanian/Pre-Pennsylvanian contact in New Brunswick; (A) 1, 45
- Gravity studies, regional, Carboniferous Basin, New Brunswick; (A): CHANDRA, J., 1, 42
- GRAY, J.T., see WANG, C.
- HACQUEBARD, P.A. and AVERY, M.P., Geological and geothermal effects on coal rank variations in the Pennsylvanian Basin of New Brunswick; (A) 1, 56
- Hibernia area, iceberg scouring and sediment dynamics; (A): LEWIS 1, 54
- HILL, P.R., Slip-sliding away - morphology and process on the Nova Scotian continental slope; (A) 1, 50
- Holyrood Pluton, Newfoundland, geophysical constraints on thickness: MILLER 2, 75
- Iceberg, scouring, Hibernia area, Grand Banks of Newfoundland; (A): LEWIS 1, 54
- JAMIESON, R.A., Southern Cape Breton Highlands Mapping Project; (A) 1, 58
- JANSA, L.F., see PE-PIPER, G.
- KARLSTROM, K.E., van de PLUIJM, B.A. and WILLIAMS, P.F., Implications of structural studies in eastern Notre Dame Bay: evidence for an allochthonous Dunnage Zone; (A) 1, 45
- KARLSTROM, K., see PLUIJM, van de, B., and WILLIAMS, P.
- KEEN, M.J., Research at the Atlantic Geoscience Centre, Geology Survey of Canada, Bedford Institute of Oceanography; (A) 1, 47
- KHALFI, M.S., see SEGUIN, M.K.
- KING, L.H., see LEWIS, C.F.M.
- KONTOPOULOS, N., see PIPER, D.J.W.
- LAFRENIERE, L.B., see WANG, C.
- LEWIS, C.F.M., BARRIE, J.V., FADER, G. B., KING, L.H. and AMOS, C.L., Iceberg scouring and sediment dynamics: seabed processes in the Hibernia area, Grand Banks of Newfoundland; (A) 1, 54
- Lithologies, Pennsylvanian/Pre-Pennsylvanian contact, New Brunswick; (A): GRAVES 1, 45
- Loch Lubnaig, Scotland, seismic profiling; (A): MCKAY 1, 58
- LYTTLE, N.A., Geoscan, the national database for geological information; (A) 1, 49
- Mafic dikes, paleomagnetism, Avalon Peninsula, Newfoundland: SEGUIN 2, 59
- Mapping projects.
Cape Breton Plutons; (A): BARR 1, 57
Newfoundland Appalachians; (A): SMYTH 1, 54
Southern Cape Breton Highlands; (A): JAMIESON 1, 58
- Mavillette Intrusion, Nova Scotia, petrology: CALDER 1, 29
- MCCUTCHEON, S.R., Stratigraphy and paleogeography of the Windsor Group in southern New Brunswick; (A) 1, 52
- MCEWEN, I.J., see MCKAY, A.
- MCKAY, A.G., The possible use of the amplitude of a reflected sound field for the determination of seabed properties; (A) 1, 50
- MCKAY, A., and MCEWEN, I.J., Preliminary testing of very compact seismic profiling equipment with some results from Loch Lubnaig, Scotland; (A) 1, 58
- McMAHON, B.J., The evaluation of production potentials of demethanation

- wells utilizing "hot-wire" gas detection methods; (A) 1, 50
- Medusoids, Cambrian, Saint John Group, southern New Brunswick; (A): PICKERILL 1, 49
- Methane, coals, Pictou Basin, Nova Scotia; (A): THOMPSON 1, 48
- MILLER, H.G. and PITTMAN, D.A., Geophysical constraints on the thickness of the Holyrood Pluton, Avalon Peninsula, Newfoundland; 2, 75
- Mineralogy, saprolite, Appalachian, Canada: WANG, C., 3, 130
- Mud migration structures, post-depositional, Tynemouth Creek Formation, New Brunswick; (A): PLINT 1, 44
- New Brunswick, Canada
- Carboniferous Basin, implications of gravity studies; (A): CHANDRA 1, 42
- Pennsylvanian Basin, coal rank, geothermal effects; (A): HACQUEBARD 1, 56
- Pennsylvanian/Pre-Pennsylvanian contact, lithologies; (A): GRAVES 1, 45
- Pictou Group, stratigraphy, sedimentation, Fredericton Sub-Basin; (A): GALLAIS 1, 48
- Saint John Group, medusoids; (A): PICKERILL 1, 49
- Tetagouche Group, structural analysis; (A): STAAL 1, 52
- Tynemouth Creek Formation, alluvial fan and piedmont sedimentation; PLINT 3, 104
- Tynemouth Creek Formation, mud migration structures; (A): PLINT 1, 44
- Windsor Group, stratigraphy, paleogeography; (A): McCUTCHEON 1, 52
- Newfoundland, Canada
- Chaotic rocks, Carmanville Melange; (A): WALDRON 1, 46
- Dunnage Zone, allochthonous; (A): KARLSTROM 1, 45
- Holyrood Pluton, geophysical constraints: MILLER 2, 75
- Iceberg scouring, Hibernia area; (A): LEWIS 1, 54
- Paleomagnetism, mafic dikes, Avalon: SEGUIN 2, 59
- Recent mapping, results; (A): SMYTH 1, 54
- Structural analysis, Notre Dame Bay; (A): PLUIJM 1, 47
- Thrusting tectonics, Notre Dame Bay; (A): WILLIAMS 1, 55
- Trace fossils, Bell Island; (A): FILLION 1, 43
- Nova Scotia, Canada
- Barrier sedimentation, Aspy Bay, Cape Breton; (A): FORBES 1, 43
- Coal, Pictou Basin, correlation; (A): THOMPSON 1, 48
- Continental slope, slides, morphology; (A): HILL 1, 50
- Geomorphology, Drumlin coast, Cape Breton: WANG 1, 1
- Granitoid Plutons, Cape Breton; (A): BARR 1, 57
- Mapping project, southern Cape Breton; (A): JAMIESON 1, 58
- Mavillette Intrusion, petrology: CALDER 1, 29
- Paleozoic supracrustal rock, Cheticamp: CURRIE 3, 94
- River Lake Pluton, Halifax County; (A): THOMAS 1, 57
- Scotian Shelf, Cretaceous basalts; (A): PE-PIPER 1, 53
- Scotia Shelf, graded sandbeds; (A): PIPER 1, 53
- Sediment dispersal, Sydney Coalfield: DUFF 2, 83
- Sydney Coalfield, Stephanian Stage; (A): ZODROW 1, 55
- Offshore wells, prototype database; (A): DOUMA 1, 42
- Paleomagnetism, mafic dikes, Avalon Peninsula, Newfoundland: SEGUIN 2, 59
- Paleochannel orientation, Sydney Coal-

- field, Nova Scotia: DUFF 2, 83
- Paleozoic supracrustal rocks, Cheticamp, Nova Scotia: CURRIE 3, 94
- Pennsylvanian
- Basin, coal rank, New Brunswick; (A): HACQUEBARD 1, 56
 - Lower, alluvial and piedmont sedimentation, New Brunswick: PLINT 3, 104
 - Lower, mud migration structures, New Brunswick; (A): PLINT 1, 44
 - Pre-Pennsylvanian contact, New Brunswick, lithologies; (A): GRAVES 1, 45
 - Upper, sediment dispersal, Sydney Coalfield, Nova Scotia: DUFF 2, 83
- PE-PIPER, G., and JANSKA, L.F., Early Cretaceous basalts of the Scotian Shelf; (A) 1, 53
- Petrology, igneous
- Cretaceous basalts, Scotian Shelf; (A): PE-PIPER 1, 53
 - Mavillette intrusion, Nova Scotia: CALDER 1, 29
 - River Lake Pluton, Nova Scotia; (A): THOMAS 1, 57
- PICKERILL, R.K., Cambrian medusoids from the Saint John Group, southern New Brunswick; (A) 1, 49
- PICKERILL, R.K., see FILLION, D.
- Pictou Basin, methane in coals; (A): THOMPSON 1, 48
- Pictou Group, Fredericton sub-basin, sedimentation, stratigraphy; (A): Le GALLAIS 1, 48
- PIPER, D.J.W., and KONTOPOULOS, N., Graded sand beds on the Scotian Shelf produced by major storms: implications for ancient rocks; (A) 1, 53
- PIPER, D.J.W., see WANG, Y.
- PITTMAN, D.A., see MILLER, H.G.
- PLINT, G. and POLL, van de, H.W., Post-depositional mud migration structures in the Tynemouth Creek Formation; Lower Pennsylvanian, southern New Brunswick; (A) 1, 44
- PLINT, A.G., and POLL, van de, H.W., Alluvial fan and piedmont sedimentation in the Tynemouth Creek Formation (Lower Pennsylvanian) of southern New Brunswick; 3, 104
- PLUIJM, van de, B., KARLSTROM, K. and WILLIAMS, P., Structural analysis in eastern Notre Dame Bay; (A) 1, 47
- PLUIJM, van de, B., see KARLSTROM, K. E. and WILLIAMS, P.
- POLL, van de, H.W., PLINT, G., and PATEL, I., Physical diagenesis: a neglected aspect in the reconstruction of ancient sedimentary environments; (A) 1, 51
- POLL, van de, H.W., see DUFF, P.McL. D. and PLINT, G.
- Reflected sound field, amplitude, seabed properties; (A): MCKAY 1, 50
- River Lake Pluton, Nova Scotia, petrology and geochemistry; (A): THOMAS 1, 57
- ROSS, G.J., see WANG, C.
- Saint John Group, New Brunswick, medusoids; (A): PICKERILL 1, 49
- Saprolite, in strongly weathered soils, Appalachian region, Canada: WANG, C., 3, 130
- Scotian Shelf
- Basalts, Early Cretaceous; (A): PE-PIPER 1, 53
 - Graded beds, implications for ancient rocks; (A): PIPER 1, 53
 - Seabed properties, from amplitude of reflected sound field; (A): MCKAY 1, 50
- Sediment dispersal, Sydney Coalfield, Nova Scotia: DUFF 2, 83
- Sedimentary environments, reconstruction, using physical diagenesis; (A): POLL 1, 51
- Sedimentation, alluvial fan and piedmont, Tynemouth Creek Formation, southern New Brunswick: PLINT 3, 104
- Sedimentation, Pictou Group, Fredericton sub-basin, New Brunswick; (A): Le

- GALLAIS 1, 48
- Sedimentation, washover, barrier overwash, Aspy Bay, Cape Breton; (A): FORBES 1, 43
- SEQUIN, M.K., GAHE, E., and KHALFI, M.S., Paleomagnetism of mafic dikes from the Avalon Peninsula, eastern Newfoundland; 2, 59
- Seismic profiling, compact equipment; (A): MCKAY 1, 58
- Slide masses, Nova Scotian continental slope; (A): HILL 1, 50
- SMYTH, W.R., Results of recent mapping in the Newfoundland Appalachians; (A) 1, 54
- STAAL, van, C., Structural analysis of Tetagouche Group (Ordovician) rocks in a zone between Brunswick no. 12 mine and Austin Brook open pit; (A) 1, 52
- Stephanian stage, Sydney Coalfield, Nova Scotia; (A): ZODROW 1, 55
- Stratigraphy, Windsor Group, southern New Brunswick; (A): McCUTCHEON 1, 52
- Stratigraphy, sedimentation, Pictou Group, Fredericton sub-basin, New Brunswick; (A): Le GALLAIS 1, 48
- Structural analysis, zone between Brunswick no. 12 and Austin Brook; (A): STAAL 1, 52
- Structure, eastern Notre Dame Bay, Newfoundland; (A): KARLSTROM 1, 45; (A): PLUIJM 1, 47, and (A): WILLIAMS 1, 55
- Supracrustal rocks, Paleozoic, Cheticamp, Nova Scotia: CURRIE 3, 94
- Sydney Coalfield, Cape Breton, Nova Scotia
Sediment dispersal, Upper Pennsylvanian: DUFF 2, 83
Stephanian stage: ZODROW 1, 55
- TAYLOR, R.B., see FORBES, D.L.
- Tectonics, thrusting, eastern Notre Dame Bay, Newfoundland; (A): WILLIAMS 1, 55
- Tetagouche Group, Ordovician, structural analysis; (A): STAAL 1, 52
- THOMAS, W.C., Petrology and geochemistry of the River Lake Pluton, Halifax County, Nova Scotia; (A) 1, 57
- THOMPSON, A.J.P., Correlation and proximate analysis and depth to methane content of coals in the Pictou Basin; (A) 1, 48
- Thrusting tectonics, eastern Notre Dame Bay, Newfoundland; (A): WILLIAMS 1, 55
- Trace fossils, Cambro-Ordovician, Bell Island, Newfoundland; (A): FILLION 1, 43
- Tynemouth Creek Formation, Lower Pennsylvanian, southern New Brunswick
Mud structures; (A): PLINT 1, 44
Sedimentation: PLINT 3, 104
- WALDRON, J.W.F., Chaotic rocks at Carmanville, Newfoundland: problems of terminology and interpretation; (A) 1, 46
- WALLACE, J., see CHANDRA, J.
- WANG, C., ROSS, G.J., GRAY, J.T., and LAFRENIERE, L.B., Mineralogy and genesis of saprolite and strongly weathered soils in the Appalachian region of Canada; 3, 130
- WANG, Y., and PIPER, D.J.W., Dynamic geomorphology of the Drumlin coast of southeast Cape Breton Island; 1, 1
- Weathering, saprolite in soils, Appalachian region, Canada: WANG, C. 3, 130
- Wells, production potential using gas detection methods; (A): McMAHON 1, 50
- Wellsys, database, offshore wells; (A): DOUMA 1, 42
- WILLIAMS, P.F., KARLSTROM, K., and PLUIJM, van de, B., Thrusting tectonics in eastern Notre Dame Bay; (A) 1, 55

WILLIAMS, P.F., see KARLSTROM, K.E. and
PLUIJM, van de, B.

Windsor Group, southern New Brunswick,
stratigraphy, paleogeography; (A):
McCUTCHEON 1, 52

ZODROW, E.L., and GASTALDO, R.A., The
Stephanian stage, Sydney Coalfield,
Nova Scotia; (A) 1, 55