

## Volume 30, 1994, Year-End Author Index

Volume 30, numéro 3, novembre 1994

URI : [https://id.erudit.org/iderudit/ageo30\\_3ind01](https://id.erudit.org/iderudit/ageo30_3ind01)

[Aller au sommaire du numéro](#)

Éditeur(s)

Atlantic Geoscience Society

ISSN

0843-5561 (imprimé)

1718-7885 (numérique)

[Découvrir la revue](#)

Citer ce document

(1994). Volume 30, 1994, Year-End Author Index. *Atlantic Geology*, 30(3), 273–277.

All rights reserved © Atlantic Geology, 1994

Ce document est protégé par la loi sur le droit d'auteur. L'utilisation des services d'Érudit (y compris la reproduction) est assujettie à sa politique d'utilisation que vous pouvez consulter en ligne.

<https://apropos.erudit.org/fr/usagers/politique-dutilisation/>

**é**rudit

Cet article est diffusé et préservé par Érudit.

Érudit est un consortium interuniversitaire sans but lucratif composé de l'Université de Montréal, l'Université Laval et l'Université du Québec à Montréal. Il a pour mission la promotion et la valorisation de la recherche.

<https://www.erudit.org/fr/>

**Volume 30 1994**  
**Year-End Author Index**

- Abrajano, T.**, see O'Malley, V., 157.
- Adams, M.G., Stewart, K.G., Trupe, C.H., and Willard, R.A.** Tectonic significance of high-pressure metamorphic rocks and dextral strike-slip faulting in the southern Appalachians, 162.
- Arne, D.C.** Absolute timing of thrust faulting - a thermochronological approach, 68.
- Arnott, A.A., MacDougall, G.A., and Barr, S.M.** Devonian-Carboniferous volcanic and plutonic rocks of Cape Breton Island, Nova Scotia, 68.
- Balzer, S.A. and Broster, B.E.** Comparison of clast and matrix dispersal in till: Canterbury area, New Brunswick, 9.
- Barr, S.M.**, see Justino, M.F., 47; Arnott, A.A., 68; Cormier, C.F.M., 68; Lin, S., 74; White, C.E., 123.
- Barr, S.M., Grammatikopoulos, A.L., and Dunning, G.R.** Early Carboniferous gabbro and basalt in the St. Peters area, southern Cape Breton Island, Nova Scotia, 247.
- Barr, S.M., Raeside, R.P., Miller, B.V., and White, C.E.** A model for terrane accretion in Cape Breton Island, Nova Scotia, and its implications for tectonic evolution of the northern Appalachian orogen, 162.
- Beaumont, C.**, see Ravenhurst, C.E., 80.
- Belland, M.**, see Parkhill, M.A., 78.
- Bevier, M.L.**, see White, C.E., 123.
- Blasco, S.M.** Exploring the wreck of the Titanic: seabed processes at 3800 metres in the North Atlantic, 154.
- Boric, R.**, see Zentilli, M., 84.
- Boyce, W.D.**, see Stouge, S., 177; Williams, H.S., 180.
- Broster, B.E.**, see Balzer, S.A., 9.
- Brown, M.**, see van Staal, C., 178.
- Burgess, J.**, see van Staal, C., 178.
- Calon, T.J.**, see Woodworth-Lynas, C.M.T., 160.
- Catto, N.**, see Munro, M., 156.
- Cawood, P.A., Dunning, G.R., van Gool, J.A.M., and Lux, D.** Collisional tectonics along the Appalachian margin of Laurentia: constraints from Corner Brook Lake and Baie Verte, 162.
- Chen, Y.**, see Lin, S., 74.
- Clark, I.B., Davis, L., and Scott, W.J.** Environmental impact of shallow water small-scale marine placer mining, 154.
- Clark, J.L.**, see Woodworth-Lynas, C.M.T., 160.
- Clarke, D.**, see Howells, K., 72.
- Colpron, M.**, see Doolan, B.L., 166.
- Coombs, R.G.** The mysterious disappearance of the Great Auk and Northern Cod: is the northwest Atlantic ecosystem in crisis?, 154.
- Cormier, C.F.M. and Barr, S.M.** Devonian-Carboniferous volcanic and plutonic rocks of the Guysborough area, northern Nova Scotia, 68.
- Cousens, B.L.**, see Murphy, J.B., 171.
- Culshaw, N.**, see Horne, R., 71.
- Culshaw, N.** A shear system in the Meguma Group and Whiterock Formation - Yarmouth to Meteghan, southwest Nova Scotia, 69.
- Currie, K.L.**, see Johnston, D.H., 183.
- Currie, K.L.** Tectonostratigraphic development of the northeastern extremity of the Dunnage Zone in Newfoundland, 163.
- Davis, G.W.** Microfossil evidence of Holocene salinities and sea levels in the Gulf of St. Lawrence and off the northeast coast of Newfoundland, 264.
- Davis, L.**, see Clark, I.B., 154.
- Dec, T., Swinden, S.H., and Dunning, G.R.** Stratigraphy, sedimentology and geochemistry of the Cottrells Cove Group (Buchans-Robert's Arm volcanic belt): implications for terrane boundaries in the Dunnage Zone, 163.
- Dennis, A.J., Wright, J.E., and Secor, D.T.** Late Precambrian-Early Cambrian orogeny in the South Carolina piedmont, 164.
- Dewey, J.F. and Ryan, P.D.** The evolution of the Clew Bay Fault Zone (Baie Verte-Brompton Line) and associated zones in western Ireland, 164.
- D'Lemos, R.**, see Holdsworth, R.E., 168.
- D'Lemos, R., King, T., and Holdsworth, R.** The relationship between migmatization and granite magmatism in the northeastern Gander zone: evidence from Sm-Nd isotopic characteristics, 165.
- Doiron, A.**, see Parkhill, M.A., 78.
- Donelick, R.A.**, see Ravenhurst, C.E., 80.
- Donovan, S.K.**, see Rhebergen, F., 19.
- Donovan, S.K.** Isocrinid crinoids from the late Cenozoic of Jamaica, 195.
- Doolan, B.L. and Colpron, M.** Collisional tectonics in the Humber zone of the Vermont-Quebec Appalachian orogen, 166.
- Dostal, J.**, see Murphy, J.B., 171.
- Dowdeswell, J.A.**, see Woodworth-Lynas, C.M.T., 160.
- Dubé, B.**, see Lin, S., 169.
- Dubé, B., Lauziere, K., Dunning, G., and Roddick, C.** Deformational events and their timing along the Cape Ray Fault, Newfoundland Appalachians, 166.
- Dunning, G.R.**, see Cawood, P.A., 162; Dec, T., 163; Dubé, B., 166; Hepburn, J.C., 167; van Staal, C., 178; Barr, S.M., 247.
- Durling, P., Howells, K., Harvey, P., and Marillier, F.** Structural trends from seismic reflection data in St. Georges Bay, Nova Scotia, 69.
- Edwardson, K.A.**, see Shaw, J., 97, 159.
- Fader, G.B.J.**, see Sonnichsen, G.V., 159.
- Fader, G.B.J. and Miller, R.O.** An overview of the surficial and shallow bedrock geology of the Grand Banks of Newfoundland, 155.
- Ferguson, L.** The use of "sieve models" in introductory geological mapping, 69.

- Forbes, D.L.**, see Shaw, J., 159.
- Fyffe, L.R.** A note on the geochemistry of some shales from the Bathurst-Newcastle Mining Camp, northern New Brunswick, 143.
- Garnett, R.H.T.** Marine mining - this is reality, 155.
- Gibling, M.R.**, see Saunders, K.D.I., 81; Tandon, S.K., 83.
- Gower, C.F.**, see Kamo, S.L., 259.
- Gramberg, I.S.** Thoughts on the evolution of modern oceans, 1.
- Grammatikopoulos, A.L.**, see Barr, S.M., 247.
- Grant, A.C.** Depositional and economic aspects of Upper Carboniferous coal measures in the Gulf of St. Lawrence-Sydney Basin region, 70.
- Graves, M.C.**, see MacInnis, I.N., 75; Zentilli, M., 84.
- Han, Y. and Pickerill, R.K.** Ichnology of the Lower Devonian Wapske Formation, northwest New Brunswick, 70.
- Han, Y. and Pickerill, R.K.** Palichnology of the Lower Devonian Wapske Formation, Perth-Andover-Mount Carleton region, northwestern New Brunswick, eastern Canada, 217.
- Han, Y. and Pickerill, R.K.** *Phycodes templus* sp. nov. from the Lower Devonian of northwestern New Brunswick, eastern Canada, 37.
- Harper, D.A.T.**, see Williams, H.S., 180.
- Harper, D.A.T., Niocall, C.M., Neuman, R.B., and Williams, S.H.** Brachiopods as indicators of early Ordovician paleogeography, 167.
- Harris, T.** The status of the Great Glen Fault, Scotland, 167.
- Harvey, P.**, see Durling, P., 69.
- Hay, A.E.** Acoustic measurements of sediment transport processes in the nearshore zone, 156.
- Hellou, J.**, see O'Malley, V., 157.
- Hepburn, J.C.**, see Karabinos, P., 169.
- Hepburn, J.C., Dunning, G.R., and Hon, R.** Geochronology and regional tectonic implications of Silurian deformation in the Nashoba Terrane, southeast New England, 167.
- Hibbard, J.P.**, see Wilkins, J.K., 179.
- Hibbard, J.** Developing model for the southern Appalachians, 168.
- Hill, J.D.** The potential for surface subsidence related to crown pillar failure in abandoned mines at Goldenville, Nova Scotia, 71.
- Hodder, J.** Paleoenvironmental analysis of trace fossils of selected Jeanne d'Arc Basin wells, 264.
- Holdsworth, R.**, see D'Lemos, R., 165.
- Holdsworth, R.E. and D'Lemos, R.** The consequences and possible causes of deformation partitioning in the Gander Lake Subzone, northeast Newfoundland, 168.
- Hon, R.**, see Hepburn, J.C., 167.
- Horne, R., Culshaw, N., and Kontak, D.J.** A history of quartz veining, deformation and gold mineralization at the Ovens, southern Nova Scotia, 71.
- Howells, K.**, see Durling, P., 69.
- Howells, K. and Clark, D.** Gamma-gamma (density) calibrations using the EMR facility in Dartmouth, Nova Scotia, 72.
- Jenner, G.A.**, see Swinden, H.S., 177.
- Jennings, S.G.** Groundwater fluoride concentration levels in private water supply wells in Annapolis Valley region, Nova Scotia, 264.
- Jennings, S.G. and Sweeney, S.J.** Groundwater fluoride concentration levels in private water supply wells in the eastern Annapolis Valley region, Nova Scotia, 72.
- Johnston, D.H., Williams, H., and Currie, K.L.** The Noggin Cove Formation: a Middle Ordovician back-arc basin deposit in northeastern Newfoundland, 183.
- Justino, M.F. and Barr, S.M.** Petrology, petrogenesis and tectonic setting of plutonic rocks in the North Mountain area, west-central Cape Breton Island, Nova Scotia, 47.
- Kamo, S.**, see White, C.E., 123.
- Kamo, S.L. and Gower, C.F.** Note: U-Pb baddeleyite dating clarifies age of characteristic paleomagnetic remanence of Long Range dykes, southeastern Labrador, 259.
- Karabinos, P., Stoll, H.M., and Hepburn, J.C.** Arc rivals of the Taconian orogeny in western New England, 169.
- Keighley, D.G. and Pickerill, R.K.** Evolving fluvial systems from the Mabou-Cumberland groups (Namurian-Westphalian A) of western Cape Breton Island, eastern Canada, 72.
- Keppie, J.D.**, see Murphy, J.B., 171.
- King, T.**, see D'Lemos, R., 165.
- Kirkwood, D.**, see Malo, M., 170.
- Kontak, D.J.**, see Horne, R., 71.
- Kontak, D.J.** The Late Carboniferous thermal history of the Meguma Terrane as revealed from  $^{40}\text{Ar}/^{39}\text{Ar}$  dating at the east Kemptville and Gays River mineral deposits, Nova Scotia, 73.
- Koukouvelas, I.**, see Pe-Piper, G., 79.
- Lane, T.** Tectonically driven fluid migration in the west Newfoundland platform: record of dolomitization, breccia, Pb-Zn and carbonate cements, 169.
- Langton, J.P.** Preliminary geological map of the Little River, Tomogonops River map area (21 P/4 west), Bathurst Camp, northern New Brunswick, 73.
- Lauziere, K.**, see Dubé, B., 166.
- Lewis, C.F.M.**, see Sonnichsen, G.V., 159.
- Li, G., Zentilli, M., and Ravenhurst, C.** Thermal history of the Scotian Basin, offshore Nova Scotia, Canada: evidence from apatite fission track analysis, 74.
- Lin, S., van Staal, C.R., Barr, S.M., and Chen, Y.** Candidates for rocks of the Appalachian Central Mobile Belt in the Aspy Terrane of Cape Breton Island, Nova Scotia, 74.
- Lin, S., van Staal, C.R., and Dubé, B.** Northwest-vergent thrusting and tectonic wedging associated with Silurian promontory-promontory collision in the Canadian Appalachians, 169.
- Lindsay, D.D.** Anisotropy of ore-stage fracture permeability in a porphyry copper system: a response to regional shear, 75.
- Lux, D.**, see Cawood, P.A., 162.

- MacDougall, G.A.**, see Arnott, A.A., 68.
- MacInnis, I.N., Silver, S.R., Pasava, J., Graves, M.C., and Zentilli, M.** Experimental evaluation of the relative acid drainage potential of pyrite and pyrrhotite, 75.
- Mahgoub, A.M.** The behaviour of quaternary debris flows on the northeast Newfoundland slope, 156.
- Malo, M. and Kirkwood, D.** Faulting and progressive strain history of the Gaspé Belt during the middle Devonian Acadian orogeny: tectonic implications, 170.
- Marillier, F.**, see Durling, P., 69.
- Marillier, F. and Reid, I.** Marine refraction data reveals atypical thin crust under the central Newfoundland Appalachians, 170.
- Martin, D.C.**, see Stanley, R.S., 176.
- McCaig, A.M. and Rex, D.**  $^{40}\text{Ar}/^{39}\text{Ar}$  ages from the Lewis Hills ophiolitic massif, west Newfoundland, 171.
- McCracken, A.D.**, see Nowlan, G.S., 172.
- McCutcheon, S.R.**, see Melchin, M.J., 76; Parkhill, M.A., 78.
- McCutcheon, S.R., Walker, J.A., and Melchin, M.J.** Stratigraphic and structural significance of a new Late Ordovician graptolite locality in the Elmtree Formation of northern New Brunswick, 76.
- McKnight, A.D. and Sweeney, S.J.** Lead arsenate occurrence in urbanized former orchard lands, Wolfville, Nova Scotia, 76.
- McLeod, M.J.**, see Nowlan, G.S., 172.
- McLeod, M.J., Winchester, J.A., and Ruitenberg, A.A.** Geochemistry of the Annidale Group: implications for the tectonic setting of Lower Ordovician volcanism in south-western New Brunswick, 87.
- Melchin, M.J.**, see McCutcheon, S.R., 76.
- Melchin, M.J., McCutcheon, S.R., and Walker, J.A.** Early Caradoc (Late Ordovician) graptolites from the Elmtree Formation, Tetagouche Group, northern New Brunswick, 76.
- Miller, B.V.**, see Barr, S.M., 162.
- Miller, H.G. and Wiseman, R.** Potential field interpretation of the Baie Verte Peninsula, Newfoundland, utilizing constraints from Lithoprobe East Seismic line 89-13, 25.
- Miller, R.F.** D/H in beetle chitin from the late-glacial Lismore site in eastern Canada: supplementary note, 65.
- Miller, R.O.**, see Fader, G.B.J., 155.
- Moran, K.**, see Sonnichsen, G.V., 159.
- Mudie, P.J.**, see Smith, J.E., 82; Ruffman, A., 158.
- Muecke, G.K.**, see Parsons, M.B., 79.
- Mukhopadhyay, P.K.**, see Zentilli, M., 84.
- Munizaga, F.**, see Zentilli, M., 84.
- Munro, M. and Catto, N.** Late Wisconsinan subaqueous outwash deposits in northeast Newfoundland, 156.
- Murphy, J.B.**, see Waldron, J.W.F., 83.
- Murphy, J.B. and Nance, R.D.** A method to refine the palinspastic restoration of Late Proterozoic Avalonian-Cadomian belt, 77.
- Murphy, J.B., Nance, D.R., Keppie, J.D., Dostal, J., and Cousens, B.L.** Contrasting isotopic signatures as constraints for the paleogeographic reconstruction of the Avalon Composite Terrane, 171.
- Murphy, J.B., Rice, R.J., and Stokes, T.R.** The St. Mary's Basin, central mainland Nova Scotia: Late Paleozoic basin formation and deformation along the Avalon-Meguma terrane boundary, 171.
- Murphy, J.B. and Stokes, T.R.** The geology of the eastern St. Mary's Basin, central mainland Nova Scotia, 77.
- Naidu, K.S.** Fisheries for shellfish in Newfoundland, 157.
- Nance, R.D.**, see Murphy, J.B., 77, 171.
- Neale, E.R.** Hank Williams - meticulous scientist wielding a broad brush, 172.
- Neuman, R.B.**, see Harper, D.A.T., 167; Williams, H.S., 180.
- Niocal, C.M.**, see Harper, D.A.T., 167; Williams, H.S., 180.
- Nowlan, G.S., McCracken, A.D., and McLeod, M.J.** Tectonic and paleogeographic significance of Late Ordovician conodonts in the Canadian Appalachians, 172.
- O'Brien, S.J., Tucker, R.D., and O'Driscoll, C.F.** Neoproterozoic basement-cover relationships and the tectonomagmatic record of the Avalon Zone on the Hermitage peninsula and environs, Newfoundland, 173.
- O'Driscoll, C.F.**, see O'Brien, S.J., 173.
- O'Malley, V., Hellou, J., Winsor, L., and Abrajano, T.** Sources and pathways of polycyclic aromatic hydrocarbons in St. John's most famous body of water, 157.
- Parkhill, M.A. and Doiron, A.** Surficial geology and glacial dispersal around the Captain North Extension massive sulphide deposit, northern New Brunswick, 78.
- Parkhill, M.A., McCutcheon, S.R., and Belland, M.** 1953 to 1993: a look at the history of the Bathurst Mining Camp, northern New Brunswick, 78.
- Parsons, M.B. and Muecke, G.K.** Geochemistry and petrogenesis of Late Cretaceous bentonites from the Kanguk Formation, Axel Heiberg and Ellesmere islands, Canadian High Arctic, 79.
- Pasava, J.**, see MacInnis, I.N., 75.
- Pe-Piper, G., Koukouvelas, I., and Piper, D.J.W.** Pluton emplacement by wall-rock thrusting and roof lifting in the western Cobequid Highlands, Nova Scotia, 79.
- Pe-Piper, G. and Piper, D.J.W.** Petrographic and geochemical evaluation of the mantle-plume hypothesis for the opening of the Devonian-Carboniferous Magdalen Basin, 79.
- Piasecki, M.A.J.** Dunnage-Gander boundaries, and some aspects of terrane evolution in Newfoundland, 173.
- Pickerill, R.K.**, see Han, Y., 37, 70, 217; Keighley, D.G., 72.
- Pickering, K.T. and Smith, A.G.** Lower palaeozoic circum-Atlantic history from the Late Precambrian to the Middle Devonian, 174.
- Piper, D.J.W.**, see Pe-Piper, G., 79.
- Pronk, A.G.** Land-use planning, resource management, and surficial geology in New Brunswick, 80.
- Quinn, L.** Lower Paleozoic foredeep basin fill in western Newfoundland, 174.

- Raeseide, R.P.**, see Barr, S.M., 162.
- Rast, N.**, see Skehan, J.W., 176.
- Rast, N. and Skehan, J.W.** Late Neoproterozoic Precambrian development of Gondwana, 175.
- Ravenhurst, C.**, see Li, G., 74.
- Ravenhurst, C.E., Willett, S.D., Beaumont, C., and Donelick, R.A.** Apatite fission track thermochronometry from central Alberta: implications for the thermal history of the western Canada sedimentary basin, 80.
- Reid, I.**, see Marillier, F., 170.
- Rex, D.**, see McCaig, A.M., 171.
- Rhebergen, F. and Donovan, S.K.** A Lower Palaeozoic 'onychophoran' reinterpreted as a palmatozoan (stalked echi- noderm) column, 19.
- Rice, R.J.**, see Murphy, J.B., 171.
- Risk, M.J.**, see Smith, J.E., 82.
- Roberts, D. and Sturt, B.A.** Tectonostratigraphy, event horizons, subduction cycles and plate rotations in the development of the Scandinavian Caledonides, 175.
- Roddick, C.**, see Dubé, B., 166.
- Ruffman, A.**, see Smith, J.E., 82.
- Ruffman, A.** The November 18, 1929 'Tidal Wave': Canada's most tragic earthquake, 157.
- Ruffman, A. and Mudie, P.J.** The 'Bristle Cones' of the ocean: a new palaeo-oceanographic archive found in the solitary deepwater coral *Desmophyllum cristagalli* from Ophan Knoll, 158.
- Ruffman, A. and Tuttle, M.** Preliminary results of a search for an onshore record of the 1929 Grand Banks tsunami, 80.
- Ruitenbergh, A.A.**, see McLeod, M.J., 87.
- Ruitenbergh, A.A.** The litho-geochemistry and metallogeny of the southern Tobique Zone, New Brunswick, 81.
- Ryan, P.D.**, see Dewey, J.F., 164.
- Samson, S.D.** The Carolina Terrane: is it part of Avalon?, 175.
- Saunders, K.D.I. and Gibling, M.R.** Sedimentology and paleoclimate of the Pennsylvanian Hub Cyclothem, Cape Breton, 81.
- Scott, W.J.**, see Clark, I.B., 154.
- Secor, D.T.**, see Dennis, A.J., 164.
- Shaw, J. and Edwardson, K.A.** Surficial sediments and post-glacial relative sea-level history, Hamilton Sound, Newfoundland, 97.
- Shaw, J., Forbes, D.L., and Edwardson, K.A.** Late Wisconsinan and Holocene events on the northeast Newfoundland coast and inner shelf, 159.
- Shell, G.S. Jr.**, see Wilkins, J.K., 179.
- Silver, S.R.**, see MacInnis, I.N., 75.
- Sinclair, I.K.** Effects of progressive variation in rifting on lithofacies architecture, 159.
- Skehan, J.W.**, see Rast, N., 175.
- Skehan, J.W. and Rast, N.** Late Proterozoic tectonic events in the Avalon Terrane including the Cadomian and Pan-African, 176.
- Smith, A.G.**, see Pickering, K.T., 174.
- Smith, J.E., Risk, M.J., Ruffman, A., and Mudie, P. A** new archive: Late Quaternary climatic reconstruction using the deepwater coral *Desmophyllum cristagalli*, 82.
- Sonnichsen, G.V., Moran, K., Lewis, C.F.M., Fader, G.B.J.** Seabed geology and processes of the Hibernia and surrounding area, northeastern Grand Bank, 159.
- Stanley, R.S., Martin, D.C., and Warren, M.J.** Palinspastic analysis of the Taconian and Acadian hinterland in central Vermont, 176.
- Stewart, K.G.**, see Adams, M.G., 162.
- Stockmal, G.S.**, see Waldron, J.W.F., 179.
- Stokes, T.R.**, see Murphy, J.B., 77, 171.
- Stoll, H.M.**, see Karabinos, P., 169.
- Stouge, S. and Boyce, W.D.** Palaeobiogeography and faunal dynamics in the lower to middle Ordovician of western Newfoundland of the Iapetus Ocean region, 177.
- Sturt, B.A.**, see Roberts, D., 175.
- Surette, J.C. and Sweeney, S.J.** Recharge region of the surficial aquifer in the College Brook Catchment, Wolfville, Nova Scotia: preliminary assessment, 82.
- Sweeney, S.J.**, see Jennings, S.G., 72; McKnight, A.D., 76; Surette, J.C., 82.
- Swinden, S.H.**, see Dec, T., 163.
- Swinden, H.S., Jenner, G.A., and Szybinski, A.Z.** Geochemical and isotopic signatures of Cambro-Ordovician volcanism and plutonism in the Notre Dame Subzone, Newfoundland Appalachians; magmatic evolution of the Laurentian margin of Iapetus, 177.
- Szybinski, A.Z.**, see Swinden, H.S., 177.
- Tandon, S.K., Gibling, M.R., and Wightman, W.G.** Calcareous paleosols as indicators of climato-eustatic change in the Late Carboniferous Sydney Coalfield, Nova Scotia, 83.
- Tate, M.C.** The nature and origin of enclaves in four peraluminous granitoid intrusions from the Meguma Zone, Nova Scotia, 205.
- Thomas, F.C.** Cenozoic micropaleontological biostratigraphy of the LASMO/NSR(V)L Cohasset Producer CP1 P-51 well, Scotian Shelf, 113.
- Thomas, W.A. and Whiting, B.M.** Evolution of recesses and salients of an orogenic belt from promontories and embayments of a rifted continental margin, 178.
- Tobey, E.** Did petroleum seeps concentrate bacteria to produce deep-water limestone mounds of Carboniferous age in Cape Breton Island?, 265.
- Tobin, R.** Depositional model for the Early Cretaceous Paddy Member of the Peace River Formation, northwestern Alberta, 265.
- Trupe, C.H.**, see Adams, M.G., 162.
- Tucker, R.D.**, see O'Brien, S.J., 173.
- Tuttle, M.**, see Ruffman, A., 80.
- Valverde, P.**, see van Staal, C., 178.
- van der Pluijm, B.A. and van der Voo, R.** Appalachian terranes and structure of the central mobile belt: a paleo-magnetic perspective of Newfoundland's geology, 178.
- van der Voo, R.**, see van der Pluijm, B.A., 178.
- van Gool, J.A.M.**, see Cawood, P.A., 162.

- van Staal, C.R.**, see Lin, S., 74, 169; Winchester, J., 180.
- van Staal, C., Dunning, G., Valverde, P., Burgess, J., and Brown, M.** Arenig and younger evolution of the Gander margin: a comparison of the New Brunswick and Newfoundland segments, 178.
- Waldron, J.W.F. and Murphy, J.B.** Silurian-Devonian subsidence history of the Arisaig Group, Nova Scotia: a record of terrane interaction?, 83.
- Waldron, J.W.F. and Stockmal, G.S.** How far were the Newfoundland Taconian allochthons transported during the Salinic and Acadian orogenies?, 179.
- Walker, J.A.**, see McCutcheon, S.R., 76; Melchin, M.J., 76.
- Warren, M.J.**, see Stanley, R.S., 176.
- White, C.E.**, see Barr, S.M., 162.
- White, C.E., Barr, S.M., Bevier, M.L., and Kamo, S.** A revised interpretation of Cambrian and Ordovician rocks in the Bourinot belt of central Cape Breton Island, Nova Scotia, 123.
- Whiting, B.M.**, see Thomas, W.A., 178.
- Wightman, W.G.**, see Tandon, S.K., 83.
- Wilkins, J.K., Hibbard, J.P., and Shell, G.S. Jr.** Alleghanian dextral transtension along a portion of the Carolina slate belt-Milton belt boundary, North Carolina, 179.
- Willard, R.A.**, see Adams, M.G., 162.
- Willett, S.D.**, see Ravenhurst, C.E., 80.
- Williams, H.**, see Johnston, D.H., 183.
- Williams, S.H.**, see Harper, D.A.T., 167.
- Williams, H.S., Harper, D.A.T., Neuman, R.B., Boyce, W.D., and Niocall, C.M.** Faunal provincialism and paleogeography of Iapetus - an update for the 90s, 180.
- Wilson, R.A.** Big Bald Mountain project geology of Mountain Brook-Stony Brook area, NTS 21 O/1h, 83.
- Winchester, J.A.**, see McLeod, M.J., 87.
- Winchester, J. and van Staal, C.** Review of volcanic and sedimentary terrane correlation between the Canadian Appalachians and British Caledonides, 180.
- Winsor, L.**, see O'Malley, V., 157.
- Wiseman, R.**, see Miller, H.G., 25.
- Woodworth-Lynas, C.M.T., Clark, J.L., and Calon, T.J.** Fault structure beneath fossil ice keel scour marks, 160.
- Woodworth-Lynas, C.M.T. and Dowdeswell, J.A.** Soft-sediment striated surfaces and massive diamicton facies produced by floating ice, 160.
- Wright, J.E.**, see Dennis, A.J., 164.
- Zentilli, M.**, see Li, G., 74; MacInnis, I.N., 75.
- Zentilli, M., Munizaga, F., Mukhopadhyay, P.K., Graves, M.C., and Boric, R.** Organic matter involvement in the genesis of epigenetic, predominantly volcanic-hosted, strata-bound copper deposits in Chile, 84.