



# **Five ways to get a grip on the personal emotional cost of breaking bad news**

## **Cinq façons d'aborder la notion de maîtriser le coût émotionnel personnel de l'annonce d'une mauvaise nouvelle**

Beatrice TB Preti  and Michael S Sanatani

Volume 15, Number 3, 2024

URI: <https://id.erudit.org/iderudit/1112777ar>

DOI: <https://doi.org/10.36834/cmej.78228>

[See table of contents](#)

Publisher(s)

Canadian Medical Education Journal

ISSN

1923-1202 (digital)

[Explore this journal](#)

Cite this document

Preti, B. & Sanatani, M. (2024). Five ways to get a grip on the personal emotional cost of breaking bad news. *Canadian Medical Education Journal / Revue canadienne de l'éducation médicale*, 15(3), 97–99.  
<https://doi.org/10.36834/cmej.78228>

© Beatrice TB Preti and Michael S Sanatani, 2024



This document is protected by copyright law. Use of the services of Érudit (including reproduction) is subject to its terms and conditions, which can be viewed online.

<https://apropos.erudit.org/en/users/policy-on-use/>

## Five ways to get a grip on the personal emotional cost of breaking bad news

### Cinq façons d'aborder la notion de maîtriser le coût émotionnel personnel de l'annonce d'une mauvaise nouvelle

Beatrice TB Preti,<sup>1,2</sup> Michael S Sanatani<sup>1</sup>

<sup>1</sup>Division of Medical Oncology, Western University, Ontario, Canada; <sup>2</sup>Department of Haematology & Medical Oncology, Emory University, Georgia, USA

Correspondence to: Beatrice Preti; email: bpreti@qmed.ca

Published ahead of issue: Jun 24, 2024; published: Jul 12, 2024. CMEJ 2024, 15(3) Available at <https://doi.org/10.36834/cmej.78228>

© 2024 Preti, Sanatani; licensee Synergies Partners. This is an Open Journal Systems article distributed under the terms of the Creative Commons Attribution License. (<https://creativecommons.org/licenses/by-nc-nd/4.0>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is cited.

## Introduction

A number of methods and frameworks exist to assist medical teachers instructing trainees on breaking bad news.<sup>1,2</sup> However, less-commonly available are methods to help trainees (and educators teaching those trainees) manage the personal cost that can come with breaking bad news, despite evidence that students can experience trauma secondary to clinical experiences.<sup>3</sup>

The act of breaking bad news takes a toll on more than just the patient. Repeatedly breaking bad news leads to burnout<sup>4</sup> and compassion fatigue<sup>5</sup> in even seasoned healthcare providers. The process of breaking bad news can induce feelings of isolation and significant distress for the individual conveying the news, even self-blame if the encounter does not go as planned.<sup>6</sup> Medical students themselves have described sadness, anxiety, fear, discomfort, and distress with breaking bad news;<sup>7</sup> furthermore, inexperience with breaking bad news is associated with stress and impeded performance.<sup>8</sup> Trainees need to simultaneously learn how break bad news, a challenging process in itself, while also learning how to manage their own emotions and responses to the situation at hand. Sadly, commonly used teaching strategies do not explicitly allow teaching and debriefing around the personal toll of breaking bad news, leading to the aforementioned emotional distress, and even questioning their place in medicine.

Therefore, based on the available literature as well as our pooled experiences, we propose here five ways to “get a grip” on helping trainees with the emotional toll that can come with breaking bad news. For convenience and ease of remembering, the tips are arranged in the acronym “GUARD”:

### 1. Guidance and mentorship

Mentorship is an important resource for trainees, valuable on many fronts, including helping trainees learn to navigate complex interpersonal scenarios, such as breaking bad news to patients towards whom one feels a sense of commitment and responsibility.<sup>9</sup> Having face-to-face contact (both teaching and observation) and time with physicians who break bad news frequently is helpful in increasing student comfort with this process.<sup>10</sup> Experiences with multiple physicians’ styles of breaking bad news also increase trainee comfort with the process,<sup>11</sup> as learners can then begin to form their own approach. Additionally, formal teaching of a framework helps people learn how to break bad news.<sup>12</sup> As mentioned previously, inexperience with breaking bad news is associated with impeded performance,<sup>8</sup> and training and mentorship may help with this. Despite such approaches and skills development, however, breaking bad news repeatedly may lead to trainees questioning their career choice, and mentorship is invaluable in such situations.<sup>14</sup>

## 2. Unburden yourself

Ultimately, an important part of the physician's role is to convey information in an understandable, digestible way to patients and their families. Teaching our trainees that, really, the only thing in our control is how we approach this process—and, indeed, it is our responsibility to engage in this process—can help trainees learn how to approach these conversations with less fear and walk away with less guilt. Prior studies have shown that healthcare workers can experience vicarious, or secondary, trauma from clinical situations.<sup>15</sup> Being mindful of the aspects of our clinical work that lie in and out of our control (and debriefing with trainees after the fact) can be beneficial and help create a sustainable path forward in a medical career.<sup>16</sup>

## 3. Anticipate

For nearly all physicians, breaking bad news to patients and families is inevitable. Consider an ICU physician sharing the diagnosis of brain death, an emergency medicine physician discussing a failed resuscitation attempt of a car accident victim, or a surgeon debriefing after an aborted resection due to the discovery of metastases. Such examples are sudden and unexpected, resulting in distress for both patient and doctor. However, many times in fields such as oncology or internal medicine, a patient's eventual decline is expected, or even inevitable.<sup>17</sup> Having ongoing conversations with patients and families regarding expectations and disease trajectory can help prevent dropping the “bomb” or bad news, thus allowing for more thorough conversations<sup>18</sup> and making the process easier for all parties involved.<sup>19</sup> For example, a suggested practice might be to discuss options based on scan results before a scan occurs. This allows a patient to feel “warned”—as well that a plan is already in place—for the possibility that there may be bad news from the scans.<sup>20</sup> This “patient readiness” is also embedded into protocols for breaking bad news,<sup>1</sup> although a series of conversations, when possible, may help soften the impact, for both the patient and the physician.

## 4. Rest and Restoration

Medical training is an arduous process, with long hours of clinical work, call, study time for examinations, research time, extracurriculars, and more. This may result in decreased time and energy for even basic self-care, such as sleeping, eating, personal hygiene, and or simple relaxation. Although challenging in the current medical education setting, it is imperative that educators and training programmes create an environment that allows for

both basic self-care as well as more restorative work needed to heal from adverse events.<sup>22</sup>

## 5. Debriefing and Reflection

Having the opportunity to reflect on difficult events is an important step in coping with the aftermath.<sup>7</sup> Reflection itself can take several forms, ranging from a few minutes of quiet thought to a group debrief led by a facilitator, to writing down one's thoughts formally,<sup>23</sup> to using structured resources or tools, whether alone or with others. Specific tools, such as the Oncology Ribbon of Reflection, can be used in appropriate contexts and settings to allow for even more structured reflection and thought.<sup>23</sup> By working through and processing difficult events, trainees are setting themselves up for improvement through transformative growth and learning from mistakes, as well as valuable restoration to help thwart the burnout and compassion fatigue which can grow over time.

Although the stress of breaking bad news can never be eliminated, we hope that these suggestions will at least lead to a sustainable, compassionate practice for trainees and faculty alike at a reduced emotional toll.

**Conflicts of Interest:** None

**Funding:** None

**Edited by:** Jane Gair (senior section editor); Marcel D'Eon (editor-in-chief)

## References

1. Baile WF, Buckman R, Lenzi R, Glober G, Beale EA, Kudelka AP. SPIKES—a six-step protocol for delivering bad news: application to the patient with cancer. *Oncologist*. 2000;5(4). <https://doi.org/10.1634/theoncologist.5-4-302>
2. Siraco S, Bitter C, Chen T. breaking bad news in the emergency department. *J Educ Teach Emerg Med*. 2022;7(2). <https://doi.org/10.5070/M57257168>
3. Al-Mateen CS, Linker JA, Damle N, Hupe J, Helfer T, Jessick V. Vicarious traumatization and coping in medical students: a pilot study. *Acad Psych*. 2015;39(1). <https://doi.org/10.1007/s40596-014-0199-3>
4. Fu W, Agarwal A, Chow E, Henry B. The impact of breaking bad news on oncologist burnout and how communication skills can help: a scoping review. Vol. 10, *J Pain Manag*. 2017.
5. Keefe-Cooperman K, Savitsky D, Koshe W, Bhat V, Cooperman J. The PEWTER Study: breaking bad news communication skills training for counseling programs. *Int. J. Adv. Couns*. 2018;40(1). <https://doi.org/10.1007/s10447-017-9313-z>
6. Francis L, Robertson N. Healthcare practitioners' experiences of breaking bad news: A critical interpretative meta synthesis. Vol. 107, *Patient Educ Counsel*. 2023. <https://doi.org/10.1016/j.pec.2022.107574>
7. Toivonen AK, Lindblom-Ylänne S, Louhiala P, Pyörälä E. Medical students' reflections on emotions concerning breaking bad

- news. *Patient Educ Couns*. 2017;100(10).  
<https://doi.org/10.1016/j.pec.2017.05.036>
8. Brown R, Dunn S, Byrnes K, Morris R, Heinrich P, Shaw J. Doctors' stress responses and poor communication performance in simulated bad-news consultations. *Acad Med*. 2009;84(11). <https://doi.org/10.1097/ACM.0b013e3181baf537>
  9. Earnshaw GJ. Mentorship: the students' views. *Nurse Educ Today*. 1995;15(4). [https://doi.org/10.1016/S0260-6917\(95\)80130-8](https://doi.org/10.1016/S0260-6917(95)80130-8)
  10. Sherwood M, Rioux D, Knight R, et al. Increasing undergraduate exposure to oncology: the role of oncology interest groups. *J Cancer Educ*. 2020;35(5). <https://doi.org/10.1007/s13187-019-01554-x>
  11. Karnieli-Miller O, Palombo M, Meitar D. See, reflect, learn more: qualitative analysis of breaking bad news reflective narratives. Vol. 52, *Med Educ*. 2018.  
<https://doi.org/10.1111/medu.13582>
  12. Rosenzweig MQ. Breaking bad news: a guide for effective and empathetic communication. *Nurse Pract*. 2012;37(2).  
<https://doi.org/10.1097/01.NPR.0000408626.24599.9e>
  13. Mair MJ, Cardone C, Connolly L, et al. Career and professional development for young oncologists. Vol. 46, *Oncol Res Treatment*. 2023. <https://doi.org/10.1159/000528541>
  14. Kim J, Chesworth B, Franchino-Olsen H, Macy RJ. A scoping review of vicarious trauma interventions for service providers working with people who have experienced traumatic events. Vol. 23, *Trauma, Violence, and Abuse*. 2022.  
<https://doi.org/10.1177/1524838021991310>
  15. Delaney MC. Caring for the caregivers: evaluation of the effect of an eight-week pilot mindful self-compassion (MSC) training program on nurses' compassion fatigue and resilience. *PLoS One*. 2018;13(11).  
<https://doi.org/10.1371/journal.pone.0207261>
  16. George LS, Prigerson HG, Epstein AS, et al. Palliative chemotherapy or radiation and prognostic understanding among advanced cancer patients: the role of perceived treatment intent. *J Palliat Med*. 2020;23(1).  
<https://doi.org/10.1089/jpm.2018.0651>
  17. Lakin JR, Arnold CG, Catzen HZ, et al. Early serious illness communication in hospitalized patients: a study of the implementation of the speaking about goals and expectations (SAGE) program. *Healthcare*. 2021;9(2).  
<https://doi.org/10.1016/j.hjdsi.2020.100510>
  18. Paladino J, Sanders JJ, Fromme EK, et al. Improving serious illness communication: a qualitative study of clinical culture. *BMC Palliat Care*. 2023;22(1). <https://doi.org/10.1186/s12904-023-01229-x>
  19. Sanatani M. Different ways of traveling the cancer road - daytime running lights at night? Vol. 9, *JAMA Oncol*. 2023.  
<https://doi.org/10.1001/jamaoncol.2022.7143>
  20. Ahmed N, Sadat M, Cukor D. Sleep knowledge and behaviors in medical students: results of a single center survey. *Acad Psych*. 2017;41(5). <https://doi.org/10.1007/s40596-016-0655-3>  
<https://doi.org/10.1111/hex.13478>
  21. Moon J. *Learning journals and logs, reflective diaries*. Centre for Teaching and Learning Good Practice in Teaching and Learning. 2003;
  22. Preti B, Lakkunarajah S, Sanatani MS. The oncology ribbon of reflection: a novel tool to encourage trainee self-reflection. *Can Med Educ J*. 2023; <https://doi.org/10.36834/cmej.77302>