

## Using the serious illness conversation guide to improve the quality of life of hematology-oncology patients: A pilot study

Victoria Korsos, Saima Ahmed, Sheena Heslip, Chantal Cassis, Vasiliki Bitzas and Sarit Assouline 

Volume 11, Number 1S, Supplement, 2024

Congress 2023

URI: <https://id.erudit.org/iderudit/1110230ar>

DOI: <https://doi.org/10.26443/ijwpc.v11i1.389>

[See table of contents](#)

Publisher(s)

McGill University Library

ISSN

2291-918X (digital)

[Explore this journal](#)

Cite this document

Korsos, V., Ahmed, S., Heslip, S., Cassis, C., Bitzas, V. & Assouline, S. (2024). Using the serious illness conversation guide to improve the quality of life of hematology-oncology patients: A pilot study. *The International Journal of Whole Person Care*, 11(1S), s1–s2. <https://doi.org/10.26443/ijwpc.v11i1.389>

© Victoria Korsos, Saima Ahmed, Sheena Heslip, Chantal Cassis, Vasiliki Bitzas and Sarit Assouline, 2024



This document is protected by copyright law. Use of the services of Érudit (including reproduction) is subject to its terms and conditions, which can be viewed online.

<https://apropos.erudit.org/en/users/policy-on-use/>

**é**rudit

This article is disseminated and preserved by Érudit.

Érudit is a non-profit inter-university consortium of the Université de Montréal, Université Laval, and the Université du Québec à Montréal. Its mission is to promote and disseminate research.

<https://www.erudit.org/en/>

## USING THE SERIOUS ILLNESS CONVERSATION GUIDE TO IMPROVE THE QUALITY OF LIFE OF HEMATOLOGY-ONCOLOGY PATIENTS: A PILOT STUDY

**Victoria Korsos<sup>1\*</sup>, Saima Ahmed<sup>1</sup>, Sheena Heslip<sup>1</sup>, Chantal  
Cassis<sup>1</sup>, Vasiliki Bitzas<sup>1</sup>, Sarit Assouline<sup>1</sup>**

<sup>1\*</sup> Corresponding author: Jewish General Hospital, Montreal, Quebec, Canada  
victoria.korsos@mail.mcgill.ca

**Keywords:** Hematology-Oncology patients, Serious Illness Conversation Tool

### INTRODUCTION

**H**ematology-oncology patients are more likely to receive high intensity care (HIC), including ICU admission and active cancer treatment, than solid cancer patients near end of life (EOL). This prevents patients and their families from realistically planning for the future and diminishes quality of life (QOL). We previously conducted a retrospective study to understand factors influencing HIC outcomes at EOL in hematology patients at McGill-affiliated hospitals. While non-curative goals, early level of intervention (LOI) discussions and palliative care (PC) involvement lowered the likelihood of HIC at EOL, the median time of LOI discussion and PC involvement to death was 22 and 9 days respectively. We

Using the Serious Illness Conversation Guide to improve the quality of life of hematology-oncology patients: a pilot study  
Victoria Korsos, Saima Ahmed, Sheena Heslip, Chantal Cassis, Vasiliki Bitzas, Sarit Assouline

hypothesize that a timely discussion aligning patient perspectives and goals with their treating team could improve QOL at EOL.

## **METHODS**

We are conducting a pilot study looking at the impact of using the Serious Illness Conversation Guide (SICG), a validated conversation tool in the general oncology population, on the QOL of hematology patients. Participants are identified by their treating doctor or nurse practitioner to be at risk of dying in the next year. The primary aim is to decrease death in acute care. Secondary aims include reporting other HIC outcomes, time from LOI discussion and PC consult to death, and the short term benefit to QOL. In addition, qualitative analysis will explore participant perspectives on benefits of the SICG and areas to improve and explore EOL QOL topics relevant to hematology patients. We have currently enrolled 2 patients. Interim analysis is projected for September 2023. ■