

Volume 37, 2000 Year-End Author Index

Volume 37, numéro 2-3, summer 2001

URI : https://id.erudit.org/iderudit/ageo37_2_3ind01

[Aller au sommaire du numéro](#)

Éditeur(s)

Atlantic Geoscience Society

ISSN

0843-5561 (imprimé)

1718-7885 (numérique)

[Découvrir la revue](#)

Citer ce document

(2001). Volume 37, 2000 Year-End Author Index. *Atlantic Geology*, 37(2-3), 209–212.

All rights reserved © Atlantic Geology, 2001

Ce document est protégé par la loi sur le droit d'auteur. L'utilisation des services d'Érudit (y compris la reproduction) est assujettie à sa politique d'utilisation que vous pouvez consulter en ligne.

<https://apropos.erudit.org/fr/usagers/politique-dutilisation/>

érudit

Cet article est diffusé et préservé par Érudit.

Érudit est un consortium interuniversitaire sans but lucratif composé de l'Université de Montréal, l'Université Laval et l'Université du Québec à Montréal. Il a pour mission la promotion et la valorisation de la recherche.

<https://www.erudit.org/fr/>

Volume 37, 2000
Year-end Author Index

- Anderson, A.J., Bassett, W.A., Chou, I-M., Jayanetti, S., and Mayanovic, R.A.** X-ray spectroscopic investigations of the hydration structure of aqueous La^{3+} at elevated pressures and temperatures, 104
- Ayuso, R.A.** See Stewart, D.B., 41
- Baker, D.** See Kontak, D.J., 115
- Baltzer, K.B., Spooner, I., and Raeside, R.** The Pacific Decadal Oscillation and its effects on the climate on northwestern British Columbia and southeastern Alaska, 104
- Barker, M.L., Spooner, I., and Ethier, M.** The development of a Geographic Information System environmental hazard prediction model for Cheticamp River, Cape Breton Island, Nova Scotia, 105
- Barr, S.M., and White, C.E.** New geological maps of the Pocologan - Saint John area, southern New Brunswick: implications for terrane interpretation, 105
- Barr, S.M.** See Ethier, M., 44; Hagan, D.M., 198; McLaughlin, K.J., 119; Ténrière, P.J., 127; White, C.E., 130; White, C.E., 130
- Bassett, W.A.** See Anderson, A.J., 104
- Beane, R.** See Van Vleck, H., 129
- Beane, R.J.** See Van Vleck, H.E., 3
- Berry IV, H.N., and Osberg, P.H.** A suggestion from mid-coast Maine correlation enthusiasts, 106
- Boric, R., and Zentilli, M.** Geology, mineral zoning, and litho-geochemistry of hydrothermal alteration at the El Soldado Manto Type Copper Deposit, Chile, 106
- Bothner, W.A.** See Marvinney S.G., 118
- Burden, E.** See Young, J., 201
- Burridge, C.** A new method of simultaneous analysis of isotopic composition and abundance, 198
- Byron, J., Cameron, B., Ferry, M., Franko, J., Gould, R., Hagan, D., Hayward, B., Jodrey, M., Johnston, K., Paul, H., Spooner, I., Stokes, M., White, J., and White, W.** Petrology, depositional environment, and economic potential of sandstone beds within the Horton Bluff Formation in the Windsor region, central Nova Scotia, 107
- Calon, T.** See Young, J., 201
- Cameron, B.** See Byron, J., 107
- Chakungal, J., Reynolds, P.H., Jamieson, R.A., and Corrigan, D.** $^{40}\text{Ar}/^{39}\text{Ar}$ traverse across the Reindeer Zone, Trans-Hudson Orogen, Reindeer Lake, Saskatchewan, 107
- Chatterjee, A.K.** See MacDonald, H., 116
- Chou, I-M.** See Anderson, A.J., 104
- Corrigan, D.** See Chakungal, J., 107
- Courtney, R.** See Hoehen, J., 113
- Cousineau, P.** See Marvinney S.G., 118
- Csank, A.Z.** A Late Cretaceous polar forest from NW Ellesmere Island: implications for climate, past and future, 198
- Culshaw, N.** See Kontak, D.J., 115
- de Jonge, A.** The geology of the Fogo seamounts, 108
- De Wolfe, M., Kontak, D.J., and Dostal, J.** Petrological evidence for extensive liquid immiscibility in the Jurassic North Mountain Basalt, Nova Scotia, 108
- Donovan, S.K.** See Pickerill, R.K., 122
- Dostal, J.** See De Wolfe, M., 108; MacDonald, H., 116
- Durling, P., and Martel, T.** Seismic stratigraphy and structural setting of the McCully gas field, 109
- Durling, P.** See Martel, T., 118
- Ethier, M., Barr, S.M., Raeside, R.P., and Webster, T.** Re-interpretation of the geology of the Cape Breton Highlands using combined remote sensing and geological databases, 44
- Ethier, M.** See Barker, M.L., 105; White, C.E., 130
- Falcon-Lang, H.J.** Fire ecology of a Late Carboniferous floodplain, Joggins, Nova Scotia, 109
- Feltham, G.** Stratigraphy and structure of mélange in the Humber Arm allochthon at Bear Cove, western Newfoundland, 198
- Ferry, M.** See Byron, J., 107
- Forbes, W.H.** See Miller, R.F., 191
- Fowler, M.G.** See Shimeld, J.W., 126
- Franko, J.** See Byron, J., 107
- Fyffe, L.** See van Staal, C.R., 128
- Fyffe, L.R.** Stratigraphy and geochemistry of Ordovician volcanic rocks of the Eel River area, west-central New Brunswick, 91
- Fyffe, L.R., and Grant, R.H.** Pre-Mesozoic stratigraphy of Grand Manan Island and possible correlation with the Ellsworth terrane in coastal Maine, 110
- Fyffe, L.R., McNicoll, V., and van Staal, C.** Provenance of detrital zircons from the Silurian Oak Bay conglomerate of southwestern New Brunswick, 111
- Gauley, B.L., and Piper, D.J.W.** Lithostratigraphy and sediment failure on the central Scotian Slope, 111
- Gibling, M.R., Nguyen, M., Martel, A.T., and Naylor, R.D.** Diagenetic and burial history of Upper Carboniferous sandstone, Sydney Basin, 112
- Gingras, M.K., and Pemberton, S.G.** Trace fossils are useful — an example from Willapa Bay, Washington, 112
- Gingras, M.K.** See Price, G.B., 122
- Goodwin, T.A.** See Page, K.D., 121
- Gould, R.** See Byron, J., 107
- Grant, R.H.** See Fyffe, L.R., 110
- Grieve, R.A.F.** See Whitehead, J., 131
- Hagan, D.M. and Barr, S.M.** Volcanic rocks in the White Rock Formation in the Torbrook area, Nova Scotia: petrology and tectonic setting, 198
- Hagan, D.** See Byron, J., 107
- Hawkes, A.** Evidence of precursor events for mega-thrust earthquakes on the West Coast of North America, 113
- Hayward, B.** See Byron, J., 107
- Hoehne, J., Loudon, K., and Courtney, R.** Seismic

- velocities and reflection sequences of Wisconsinan glaciation in Emerald Basin (Scotian Shelf), 113
- Horne, R.J.** See Kontak, D.J., 115; See White, C.E., 130
- Howells, K., and Ruffman, A.** Modifications of gravity interpretations for the Shubenacadie-Stewiacke Carboniferous Basin, Nova Scotia, 114
- Ingram, S., and Pe-Piper, G.** The New Cornwall syenogranite, Nova Scotia: petrology and geochemistry, 114
- Ingram, S.** See Pe-Piper, G., 133
- Ings, S. and Owen, J.V.** Decompressional reaction textures in the southeast Long Range inlier, Newfoundland: products of thermal metamorphism adjacent to the Taylor Brook gabbro complex? 199
- Isenor, F.M., Spooner, I.S., and McClenaghan, M.B.** Applied Quaternary geology and till geochemistry of the Loch Lomond region, Cape Breton Island, Nova Scotia, 114
- Jamieson, R.A.** See Chakungal, J., 107
- Jauer, C.D.** See MacRae, A., 117
- Jayanetti, S.** See Anderson, A.J., 104
- Jodrey, M.** See Byron, J., 107
- Johnson, S.C.** Contrasting geology in the Pocologan River and Long Reach areas: implications for the New River belt and correlations in southern New Brunswick and Maine, 61
- Johnson, S.C.** The New River terrane revisited: insights into the relationship with the St. Croix and Ellsworth terranes in New Brunswick and Maine, 115
- Johnston, K.** See Byron, J., 107
- Keighley, D.** See Sinnott, K., 126
- Ketchum, J.W.F.** See White, C.E., 130; White, C.E., 130
- Kiefer, T.** See Park, M-H., 153
- King, M.S.** See White, C.E., 130
- Kontak, D.J., Horne, R.J., Baker, D., and Culshaw, N.** An integrated structural, fluid inclusion, and stable isotope study of auriferous veins, The Ovens, southern Nova Scotia, 115
- Kontak, D.J.** See De Wolfe, M., 108
- Lentz, D.R.** See Thorne, K.G., 175
- Louden, K.** See Hoehen, J., 113
- Lux, D.R.** See McLeod, M.J., 17; Stewart, D.B., 41
- MacCarthy, K.A., Ryder, G., and Spray, J.G.** How are rocks stuck together in waterless environments? 199
- MacDonald, H., Dostal, J., and Chatterjee, A.K.** Proterozoic calc-silicate rocks of the Oaxaca complex (southern Mexico): an example of sabkha evaporites, 116
- MacDonald, I.M.L., and Spooner, I.S.** Late-glacial and Holocene stratigraphy of Piper Lake, Pictou County, Nova Scotia: evidence for Younger-Dryas perennial ice cover and sustained landscape instability during the Early Holocene, 116
- MacDonald, L.A.** See White, C.E., 130
- MacKay, P.A.** See Waldron, J.W.F., 129
- MacMillan, W.C.** See Shimeld, J.W., 125
- MacNeil, D.** Ultramafic rocks in a Neoproterozoic arc, Antigonish Highlands, Nova Scotia, 200
- MacRae, A., and Jauer, C.D.** Sequence stratigraphy and palynology, Upper Missisauga Formation, Glenelg area, offshore Nova Scotia, 117
- MacRae, R.A., Shimeld, J.W., and Wielens, H.J.B.W.** Sequence stratigraphy and hydrocarbon potential of regional Upper Cretaceous limestone units, offshore Nova Scotia, 117
- MacRae, R.A.** See Shimeld, J.W., 126
- Marquis, R.,** See Marvinney S.G., 118
- Martel, A.T.** See Gibling, M.R., 112
- Martel, T., and Durling, P.** The petroleum geology of the McCully #1 gas discovery, 118
- Martel, T.** See Durling, P., 109
- Marvinney, S.G., Moench, R.H., Marquis, R., Cousineau, P., and Bothner, W.A.** Resolved Silurian-Devonian stratigraphic correlation across the Québec-Maine-New Hampshire borders and its bearing on Silurian extension, 118
- Masaitis, V.L.** See Whitehead, J., 131
- Mayanovic, R.A.** See Anderson, A.J., 104
- McClenaghan, M.B.** See Isenor, F.M., 114
- McCutcheon, S.** See van Staal, C.R., 128
- McLaughlin, K.J., and Barr, S.M.** The Baring Granite and St. Stephen Gabbro of New Brunswick and Maine: petrology, geochemistry, and tectonic setting, 119
- McLeod, M.J., Pickerill, R.K., and Lux, D.R.** Mafic intrusions on Campobello Island: implications for New Brunswick – Maine correlations, 17
- McNicoll, V.** See Fyffe, L.R., 111; van Staal, C.R., 128
- Miller, R.F., and Forbes, W.H.** An Upper Carboniferous trigonotarbid, *Aphantomartus pustulatus* (Scudder, 1884), from the Maritimes Basin (Euramerican Coal Province), New Brunswick, Canada, 191
- Mireku, L.K., and Stanley, C.R.** Geology, geochemistry, and hydrothermal alteration of the Lower AB Zone, Halfmile Lake North volcanic hosted massive sulphide deposit, Bathurst, New Brunswick, 119
- Moench, R.H.** See Marvinney S.G., 118
- Moir, P.N.** See Shimeld, J.W., 126
- Mott, R.J.** See Stea, R.R., 127
- Muir, C.M.** See White, C.E., 130
- Murphy, A.J., and Spray, J.G.** Type and nature of sulphides in the Whistle-Parkin Offset Dyke, Sudbury impact structure, Ontario, Canada, 120
- Murphy, J.B.** Geochemistry, provenance, and tectonic significance of sedimentary rocks of the Middle to Late Devonian McArras Brook and Viséan Martin Road formations, Merigomish Subbasin, northern Antigonish Highlands, Nova Scotia, 161
- Naylor, R.D.** See Gibling, M.R., 112
- Neuman, R.B.** See Poole, W.H., 122
- Nguyen, M.** See Gibling, M.R., 112
- Nielsen, E.** See Ruffman, A., 124
- O'Beirne-Ryan, A.M., Ryan, R.J., and Zentilli, M.** When has a rounded cobble not traveled far? Recycling of corestones from weathered granitoids: examples from the

- South Mountain Batholith in Nova Scotia, Canada, 120
- O'Connell, J.F., and Stanley, C.R.** Structural orientations, architecture, and timing of auriferous quartz veins associated with mesothermal saddle reef stockwork gold mineralization, The Ovens, Lunenburg County, Nova Scotia, 121
- Osberg, P.H.** See Berry IV, H.N., 106
- Owen, J.V.** See Ings, S., 199
- Page, K.D., and Goodwin, T.A.** Cycling of mercury in southwest Nova Scotia: Kejimikujik National Park, 121
- Park, M-H., Kiefer, T., and Zahn, R.** Surface- and deep-water hydrography and meltwater events in the mid-latitude North Atlantic Ocean over the past 160,000 years, 153
- Paul, H.** Petrology and lithogeochemistry of volcanic rocks hosting seafloor hot springs systems in the Manus basin, southwest Pacific Ocean, 200
- Paul, H.** See Byron, J., 107
- Pemberton, S.G.** See Gingras, M.K., 112
- Pe-Piper, G. and Ingram, S.** The New Cornwall syenogranite, Nova Scotia: petrology and geochemistry, 133
- Pe-Piper, G.** See Ingram, S., 114
- Pickerill, R.K., Donovan, S.K., and Portell, R.W.** Trace fossils are useful - an example from the Caribbean, 122
- Pickerill, R.K.** See McLeod, M.J., 17
- Piper, D.J.W.** See Gauley, B.L., 111
- Poole, W.H., and Neuman, R.B.** Lower Ordovician (Arenig/Llanvirn) fossiliferous volcanoclastic rocks, western New Brunswick and adjacent Maine, 122
- Portell, R.W.** See Pickerill, R.K., 122
- Power, C.** Metamict zircons from the Georgeville pluton, 200
- Price, G.B., and Gingras, M.K.** Core analysis of the Hiram Brook Member of the Upper Albert Formation, interpretation of the depositional environment, and determination of reservoir prospectivity, 122
- Raeside, R.** See Baltzer, K.B., 104; Ethier, M., 44
- Reusch, D.N.** Geology of the Newbury Neck 1:24,000 quadrangle, coastal Maine, 123
- Reynolds, P.H.** See Chakungal, J., 107; White, C.E., 130
- Riggs, K.** Heavy metal particulates in the soil surrounding the Tilt Cove smelter, Newfoundland, 201
- Rogers, N.** See van Staal, C.R., 128
- Roulston, B.** The role of chance in exploration: the McCully #1 gas discovery - an example from southern New Brunswick, 124
- Ruffman, A., Nielsen, E., and St. George, S.** The development of softwood tree-ring chronologies in Nova Scotia: a tool for palaeoclimate reconstruction, archaeological, and heritage building research, 124
- Ruffman, A.** As we look forward to the year 2001 hurricane season: remembering the Saxby Gale of 1869, 124
- Ruffman, A.** See Howells, K., 114
- Ryan, R.J.** See O'Beirne-Ryan, A.M., 120
- Ryder, G.** See MacCarthy, K.A., 199
- environments of southern Florida, 125
- Shimeld, J.W., MacMillan, W.C., and Williams, G.L.** The future of the world's oil supply: are we over a barrel?, 125
- Shimeld, J.W., Moir, P.N., Fowler, M.G., Stasiuk, L.D., MacRae, R.A., and Williamson, M.A.** Heavy oil accumulations in the Jeanne d'Arc Basin: a case study in the Hebron, Ben Nevis, and West Ben Nevis oil fields, 126
- Shimeld, J.W.** See MacRae, R.A., 117
- Sinnott, K., and Keighley, D.** Distribution and petrology of sandstone identified in core from the Dawson Settlement Member, Albert Formation (Carboniferous), Moncton Basin, New Brunswick, 126
- Skilliter, D.M.** Trace fossils of eastern Canada: a traveling exhibit prepared by the Nova Scotia Museum of Natural History, 127
- Spooner, I.S.** See Baltzer, K.B., 104; Barker, M.L., 105; Byron, J., 107; Isenor, F.M., 114; MacDonald, I.M.L., 116
- Spray, J.** See Tuchscherer, M., 128
- Spray, J.G.** See MacCarthy, K.A., 199; Murphy, A.J., 120; Whitehead, J., 131
- St. George, S.** See Ruffman, A., 124
- Stanley, C.R.** See Mireku, L.K., 119; O'Connell, J.F., 121
- Stasiuk, L.D.** See Shimeld, J.W., 126
- Stea, R.R., and Mott, R.J.** Evidence of the Younger Dryas re-activation of a Gulf of St. Lawrence glacier from the "great ditch" of Nova Scotia, 127
- Stewart, D.B., Tucker, R.D., Ayuso, R.A., and Lux, D.R.** Minimum age of the Neoproterozoic Seven Hundred Acre Island Formation and the tectonic setting of the Islesboro Formation, Islesboro block, Maine, 41
- Stokes, M.** See Byron, J., 107
- Ténière, P.J., Barr, S.M., and White, C.E.** Stratigraphy and structure of the Horton Group in the Lochaber-Mulgrave area, Nova Scotia, 127
- Thorne, K.G., and Lentz, D.R.** Geochemistry and petrogenesis of the East Branch Brook metagabbroic dykes in the Sawyer Brook fault zone, Clarence Stream gold prospect, southwestern New Brunswick, 175
- Tuchscherer, M. and Spray, J.** The Foy Offset Dike, Sudbury impact structure, Ontario, Canada, 128
- Tucker, R.D.** See Stewart, D.B., 41
- van Staal, C.** See Fyffe, L.R., 111
- van Staal, C.R., Rogers, N., Wilson, R., Fyffe, L., McCutcheon, S., and McNicoll, V.** Tectonic history of the Popelogan arc - Tetagouche-Exploits back-arc system in New Brunswick and adjacent Maine, 128
- Van Vleck, H., and Beane, R.** Petrography and geochemistry of mafic blocks in the Hurricane Mountain mélange in west-central Maine, 129
- Van Vleck, H.E., and Beane, R.J.** Geochemical comparison of mafic, felsic, and ultramafic rocks in the Hurricane Mountain mélange to the Boil Mountain ophiolite complex, west-central Maine, 3
- Waldron, J.W.F., and MacKay, P.A.** Repetitions in the Kennetcook basin - structural or stratigraphic?
- Schrumm, L.** The use of foraminifera and thecamoebians as freshwater/marine transition zones in mangrove

- Implications of field and seismic investigations in the Cheverie-Walton area, Nova Scotia, 129
- Webster, T.** See Ethier, M., 44
- White, C.E., Barr, S.M., Ketchum, J.W.F., and Ethier, M.** Geology of the Cape Porcupine Complex, Guysborough County, Nova Scotia, 130
- White, C.E., Horne, R.J., King, M.S., MacDonald, L.A., Barr, S.M., Muir, C.M., Reynolds, P.H., and Ketchum, J.W.F.** New insights on the geology of the southwestern Meguma terrane, Nova Scotia, 130
- White, C.E.** See Barr, S.M., 105; Ténière, P.J., 127
- White, J.** See Byron, J., 107
- White, W.** See Byron, J., 107
- Whitehead, J., Grieve, R.A.F., Spray, J.G., and Masaitis, V.L.** Shock metamorphic minerals in the Popigai impact structure, Siberia, 131
- Wielens, H.J.B.W.** See MacRae, R.A., 117
- Williams, G.L.** See Shimeld, J.W., 125
- Williamson, M.A.** See Shimeld, J.W., 126
- Wilson, P.** Upper-crustal fault processes in southern New Brunswick, 131
- Wilson, R.** See van Staal, C.R., 128
- Wilson, R.A.** Geochemistry and regional correlation of Middle Ordovician arc-related volcanic rocks from the Popelogan Inlier (Dunnage Zone), northern New Brunswick, 132
- Young, J., Calon, T., and Burden, E.** Stratigraphy and structure of the Humber Arm allocthon, southwestern Bay of Islands, western Newfoundland, 201
- Zahn, R.** See Park, M-H., 153
- Zentilli, M.** See Boric, R., 106; O'Beirne-Ryan, A.M., 120